

Caravan Accessories Product Catalogue




Caravan Electrical Solutions



Table CONTENTS

Powerpoints & Switches	3-6
Plates & Mounting Blocks	7
Switch Mechanisms	8
Inlets & Outlets	9
RCD/Inlet Enclosures	.10
Circuit Breakers	.11
External Lights & Reflectors	
Internal Lights	-15
LED Awning Lights	.16
Battery Chargers	-18
SmartConnect	.19
Fuses	.21
Solar Panels & Tank Gauges	.22
Break Away Units	
Batteries	.24
TV Points, 12V, USB & Antennas	.25
Data Accessories	-27
Connectors	.28
Terminals	-31
Lugs & Crimp Links	.32
Cable Accessories	
Electrical Accessories	.34
Entertainment Accessories	.35
Reversing Cameras	.36
Cables	-39
Automotive Cable	.40
Battery Cable	.41

Powerpoints & Switches





Single Power Point Double Pole

240V. 10amp.
Approval No. SAA110207EA
Qty: 10
Stock Code: BK100WDP



Double Power Point Double Pole

240V. 10amp. Approval No. SAA110207EA **Qty:** 10

Stock Code: BK200WDP



Single Gang Switch

Clip On Front Plate

240V. 10amp.
Approval No. V99367 **Qty:** 10 **Stock Code:** BK150W



Two Gang Switch

Clip On Front Plate

240V. 10amp. Approval No. V99367 **Qty:** 10 **Stock Code:** BK250W



Three Gang Switch

Clip On Front Plate

240V. 10amp.
Approval No. V99367 **Qty:** 10 **Stock Code:** BK350W



Four Gang Switch

Clip On Front Plate

240V. 10amp.
Approval No. V99367
Qty: 10
Stock Code: BK450W



Five Gang Switch

Clip On Front Plate

240V. 10amp. Approval No. V99367 **Qty:** 10 **Stock Code:** BK550W



Six Gang Switch

Clip On Front Plate

240V. 10amp.
Approval No. V99367 **Qty:** 10 **Stock Code:** BK650W



Single Gang USB Plate

Clip On Front Plate

240V. 10amp.
Approval No. V99367 **Qty:** 10 **Stock Code:** BKBP150W+SMRJUSB



Two Gang USB Plate Clip On Front Plate

240V. 10amp.
Approval No. V99367 **Stock Code:** BKBP150W+2SMRJUSB



Architrave Switch White

Stock Code: BK150AWA: 1 GANG BK250AWA: 2 GANG BK350AWA: 3 GANG



Deep Architrave Single Gang Switch

With 10amp Switch Mechanism Stock Code: BK150AWD



Powerpoints & Switches



Double Power Point

"Inverter"

Double Pole 240V. 10amp. Approval No. SAA110207EA

Qty: 10 Stock Code: BK200WDPBINVERTER



Printed Labled Switches

Contact your Sales Rep



Printed Logos on Powerpoints & Switches

Contact your Sales Rep



Single Power Point

Double Pole - Black


240V. 10amp. Approval No. SAA110207EA **Qty:** 10 Stock Code: BK100WDPB



Double Power Point

Double Pole - Black

240V. 10amp. Approval No. SAA110207EA **Qty:** 10 Stock Code: BK200WDPB



Single Gang Switch

Clip On Front Plate - Black

240V. 10amp. Approval No. V99367 **Qty:** 10 Stock Code: BK150B



Two Gang Switch

Clip On Front Plate - Black

240V. 10amp. Approval No. V99367 **Qty:** 10 Stock Code: BK250B



Three Gang Switch

Clip On Front Plate - Black

240V. 10amp. Approval No. V99367 **Qty:** 10 Stock Code: BK350B



Four Gang Switch

Clip On Front Plate - Black

240V. 10amp. Approval No. V99367 **Qty:** 10 Stock Code: BK450B




Architrave Switch

Black **Stock Code:**

BK150AB: 1 GANG BK250AB: 2 GANG

Powerpoints & Switches





Single Power Point

Double Pole - Acrylic White

240V. 10amp.
Approval No. SAA110207EA **Qty:** 10

Stock Code: BK100WDP-DPTW



Double Power Point

Double Pole - Acrylic White

240V. 10amp.
Approval No. SAA110207EA **Qty:** 10 **Stock Code:** BK200WDP-DPTW



Printed Logos on Acrylic Powerpoints & Switches

Contact your Sales Rep



Single Gang Switch

Clip On Front Plate - Acrylic White

240V. 10amp. Approval No. V99367 **Qty:** 10

Stock Code: BK150WDP-DPTW



Two Gang Switch

Clip On Front Plate - Acrylic White

240V. 10amp. Approval No. V99367 **Qty:** 10

Stock Code: BK250WDP-DPTW



Three Gang Switch

Clip On Front Plate - Acrylic White

240V. 10amp. Approval No. V99367 **Qty:** 10

Stock Code: BK350WDP-DPTW



Four Gang Switch

Clip On Front Plate - Acrylic White

240V. 10amp. Approval No. V99367 **Qty:** 10

Stock Code: BK450WDP-DPTW



Five Gang Switch

Clip On Front Plate - Acrylic White

240V. 10amp. Approval No. V99367 **Qty:** 10

Stock Code: BK550WDP-DPTW



Six Gang Switch

Clip On Front Plate - Acrylic White

240V. 10amp. Approval No. V99367

Qty: 10 Stock Code: BK650WDP-DPTW




Single Gang USB Plate

Clip On Front Plate - Acrylic White

240V. 10amp. Approval No. V99367

Stock Code: BKBP150WAP+SMRJUSB



Two Gang USB Plate

Clip On Front Plate - Acrylic White

240V. 10amp. Approval No. V99367

Stock Code: BKBP150WAP+2SMRJUSB



Powerpoints & Switches



Single Power Point

Double Pole - Acrylic Black

240V. 10amp. Approval No. SAA110207EA **Qty:** 10 Stock Code: BK100BDP-DPTB



Double Power Point

Double Pole - Acrylic Black

240V. 10amp. Approval No. SAA110207EA **Qty:** 10 Stock Code: BK200BDP-DPTB







Single Gang Switch

Three Gang Switch Two Gang Switch Clip On Front Plate - Acrylic Black Clip On Front Plate - Acrylic Black Clip On Front Plate - Acrylic Black

240V. 10amp. Approval No. V99367 **Qty:** 10

Stock Code: BK150BWP-DPTB

240V. 10amp. Approval No. V99367

Qty: 10

Stock Code: BK250BWP-DPTB

240V. 10amp. Approval No. V99367

Qty: 10

Stock Code: BK350BWP-DPTB







Four Gang Switch

Clip On Front Plate - Acrylic Black Clip On Front Plate - Acrylic Black Clip On Front Plate - Acrylic Black

240V. 10amp. Approval No. V99367

Qty: 10

Stock Code: BK450BWP-DPTB

240V. 10amp. Approval No. V99367 **Qty:** 10

Stock Code: BK550BWP-DPTB


Five Gang Switch


240V. 10amp. Approval No. V99367 **Qty:** 10

Stock Code: BK650BWP-DPTB

Six Gang Switch

Plates & Mounting Blocks






Blank Plates

Qty: 20 Stock Code:

BKBP150W: 1 GANGBKBP450W: 4 GANG BKBP250W: 2 GANGBKBP550W: 5 GANG BKBP350W: 3 GANGBKBP650W: 6 GANG



Architrave Plate

Stock Code:

BKBP150AW: 1 GANG BKBP250AW: 2 GANG BKBP350AW: 3 GANG



DeepArchitrave Single Gang Blank Plate

Stock Code: BKBP150AWD




Mounting Block

Slim - 18mm

Qty: 10

Stock Code: BAMB3



Mounting Block

Thick - 35mm

Qty: 5

Stock Code: BAMB1



Mounting Block

Slim - Black 18mm

Qty: 10

Stock Code: BAMB3B



Mounting Block

Slim - Silver 18mm

Qty: 10

Stock Code: BAMB3S



Grid Plate & Cover

Stock Code: BKBP150WC203IVX



Small Junction Box

3con 1con

Stock Code: BAJB1



Large Junction Box

3con 1con

Stock Code: BAJB2



Switch Mechanisms



White Mechanism

10 AMP **Stock Code:** SM010



Black Mechanism

10 AMP **Stock Code:** SM010B



Silver Mechanism

Single/Double Pole

10 AMP
Stock Code:
SM010S
SM010WDPS



"Pump" Mechanism

10 AMP

Stock Code: SM010PUMP



White Mechanism

Double Pole

10 AMP

Stock Code: SM010WDP



"Main" Mechanism

Double Pole

10 AMP

Stock Code: SM010WDPMAIN



"HWS" Mechanism

Single/Double Pole

10 AMP
Stock Code:
SM010HWS
SM010WDPHWS



"Fridge" Mechanism

Single/Double Pole

10 AMP **Stock Code:**SM010FRIDGE
SM010WDPFRIDGE



"A/C" Mechanism

Double Pole

10 AMP

Stock Code: SM016ACDP



"Stove" Mechanism

Double Pole

10 AMP

Stock Code: SM010WDPSTOVE



Rotary Switch

10 AMP. 2 on 2 off **Stock Code:** SM030RSMZ




USB Insert

Inserts into any plate

Stock Code: SMRJUSB

Inlets & Outlets





Clipsal Power Inlet
New Style
435VFS15 Insulated Active 15A 250V a.c.
Stock Code: BACLI435N



New Style
415VF Socket Outlet 10A 250V a.c.
Stock Code: BACLI10DN

Clipsal Power Outlet



Clipsal Mounting Flange
New Style
435VFSM for 435VFS15 & 415VF Outlets.
Stock Code: BACLIMBN



Clipsal Power Inlet
New Style - Black
435VFS15 Insulated Active 15A 250V a.c.
Stock Code: BACLI435NBLK



Clipsal Power Outlet
New Style - Black
415VF Socket Outlet 10A 250V a.c.
Stock Code: BACLI10DNBLK



Clipsal Mounting Flange
New Style - Black
435VFSM for 435VFS15 & 415VF Outlets.
Stock Code: BACLIMBNB



Areial RCD/Inlet Enclosures



RCD/Inlet Enclosure - AREIAL

2.5mm - White

250mm x 180mm x 90mm Deep

Cutout Size: 205mm x 130mm

Stock Code: RCDAREIALBOXWHT




RCD/Inlet Enclosure - AREIAL
2.5mm - Black
250mm x 180mm x 90mm Deep
Cutout Size: 205mm x 130mm
Stock Code: RCDAREIALBOXBLK

The new and innovative RCD/Inlet Enclosure is now available. Providing manufacturers with a 240v solution for RCD and Inlet positioning.

Combining the RCBO and Inlet within the same enclosure has now allowed manufacturers to simply install 240v with ease, whilst conforming to AS/NZS 3000.2007 Wiring Regulation.

Dual Supply RCD/Inlet Enclosure Available
Please Enquire

RCD, RCBO & Circuit Breakers





16 amp RCD
NHP Brand
Stock Code: RCDCOMB16C



2 Pole Enclosure
To suit 16 amp RCD
Stock Code: SES02C



Manual Reset Circuit Breaker

Stock Code:

CL54730AMP: 30 amp CL54740AMP: 40 amp CL54750AMP: 50 amp CL54760AMP: 60 amp CL54780AMP: 80 amp CL547100AMP: 100 amp CL547120AMP: 120 amp CL547150AMP: 150 amp CL547180AMP: 180 amp CL547200AMP: 200 amp



16 amp RCD
Clipsal Brand
Stock Code: RCDCOMB16CLIP



4 Pole Enclosure
To suit 16 amp RCD
Stock Code: SES04C



Change Over Switch For Inverters

Hager 25 amp Stock Code: HAGERSFT225




External Lights & Reflectors



12V Stop Tail Indicator 430 x 100mm


Black / Chrome **Stock Code:**CARLGT380BAR12: BLACK

CARLGT380CAR12: CHROME



12V Stop Tail Indicator 430 x 90mm

Stock Code: CARLGTSTOPADV10404



12V Stop Tail Indicator 350 x 120mm

Stock Code: CARLGTSTOPADV10654



12V Three Part Tail Light

440 x 150mm

2x Red / 1x Amber **Stock Code:**CARLGT102C(1xAC / 2xRC / B3B)



Bargman Handle Light

Black

Stock Code: CARLGBARGMAN




Blue Handle Grab

Chrome / Black **Stock Code:**CARLGTHANDBL

CARLGTHANDBLK

Enquire for more tail light options

External Lights & Reflectors





License Plate Lamp

Stock Code: CARLGT35BLM



Large License Plate Lamp License Plate Lamp Pair

Stock Code: CARLGTAP11840



Stock Code: CARLGT30BLM



Number Plate Bracket & License Plate Light

Stock Code: CARLGTLICENSELP1



Markers

Stock Code: CARLGTWHITE: WHITE FRONT CARLGTREAR: RED REAR CARLGTSIDE: RED/AMBER SIDE



Markers

Stock Code: CARLGTEU38WMB: WHITE CARLGTEU38RMB: RED CARLGTEU38AMB: AMBER



Reflector

Stick-on

Stock Code: CARLGTREFRED: RED CARLGTREFWHT: WHITE

CARLGTREFAMBER: AMBER



Reflector

Screw-on

Stock Code: CARLGT7035AB CARLGT7035WB CARLGT7035RB



Reflector

Screw-on

Stock Code: NARV84030 NARV84031 NARV84032



Internal Lights



LED Pivot Strip Light 242 x 30mm / 175 x 30mm **Stock Code:** NARV87664

NARV87662



260mm **Stock Code:** LEDSTRIPLGT260



LED Strip Light with SensorLED Strip Light with Sensor 410mm **Stock Code:** LEDSTRIPLGT410



75mm LED Downlight Chrome Stock Code: DL7515CB



75mm LED Downlight White Stock Code: NARV87500-12



70mm Euro Downlight **Stock Code:** QEURODL: With Switch (Dimmable) QEURODLD: Without Switch




Daylight LED Strip Light

White **Stock Code:** 1.2mtr 1.6mtr 1.8mtr 2.0mtr 2.2mtr 5.0mtr - Soldered both ends



Daylight LED Strip Light Blue **Stock Code:** 1.2mtr 1.6mtr 1.8mtr 2.0mtr 2.2mtr 5.0mtr - Soldered both ends

Internal Lights





Interior Lamp

Stock Code: NARV87502



Interior Lamp

180mm

Stock Code: NARV87504



Euro Large Square LED Downlight


Stock Code: QEURO5QDL



84 SMD LEDs Rectangle

185mm c/w switch

Stock Code: CARLGT4118596



84 SMD LEDs Rectangle

185mm

Stock Code: CARLGT4118536



LED Reading Light
Stock Code: QREADLEDRL712



LED Reading Light
Bedroom

Stock Code: QREADLEDRL705/RL35



LED Reading Light

Living Area

Stock Code: QREADLEDRL705/RL63



I.F.D

Awning Lights



LED Awning Light

250mm

Stock Code:CARLGTAWNWHT: White
CARLGTAWNBLCK: Black



LED Awning Light

350mm

Stock Code:QAWN350WH: White
QAWN350BLCK: Black



LED Dual Awning Bug Light

350mm - Amber/White

Stock Code:

QAWN350MMW: White QAWN350MMB: Black



LED Awning Light

221mm


Stock Code:QAWN221WH: White
QAWN221BLK: Black



LED Light
Porch/Boot/Annex

Stock Code: CARLGTPORCHLED

Battery Management Systems





BP35HA - II

Lithium Compatible
30 Amp Multi-Stage Battery Charger
35 Amp Power Supply
30 Amp MPPT Solar Regulator
Low Voltage Disconnect

Electronic Resettable Fuses
14-Way Fuseboard

Stock Code: BP35HA-II



BP35SR - II

20 Amp Multi-Stage Battery Charger 35 Amp Power Supply 30 Amp MPPT Solar Regulator Low Voltage Disconnect Electronic Resettable Fuses 14-Way Fuseboard

Stock Code: BP35SR-II



BP35SI - II

20 Amp Multi-Stage Battery Charger 35 Amp Power Supply 20 Amp Solar Regulator Low Voltage Disconnect Electronic Resettable Fuses 14-Way Fuseboard

Stock Code: BP35SI-II



All chargers in the BP35 range have Phone App Connectivity via the OdysseyLink

www.arldistributors.com.au For all BMPRO data, info & manuals

BMPRO Exclusively Distributed by ARL




Battery Management Displays & Accessories





ODYSSEY

Battery Management System Touch Screen Controls Eco Mode Remote Lighting Zones Slide Out Options 4 x Water Tank Pump Controls Solar Information **AUX Information AC Information** AMPs in/out 3 x Lighting Controls



Compatible






TREK 3 ODY

Battery Management System Time Remaining in Battery 4 x Water Tank Pump On/Off Low Voltage Warning Clock Solar Controller Amps Charging / Amps Discharging **Isolation Switch**

Stock Code: TREK3ODY




Compatible





Battery Volts Amps In Amps Out Charge/Discharge Status Source of Charge Details (240V/Solar/Aux) 4 x Tanks

Stock Code: RVVIEW2.0



Compatible






Mini Boost 20 Amp DC to DC charger



BC300 + Commlink 300 Amp external shunt (Inverters)

SmartConnect





SmartSense

Gas Bottle Level Monitor & App

Compact, lightweight, tough, water and dust resistant Suits most portable domestic gas bottles Communicates with phones via Bluetooth Easy DIY installation with strong magnets



SmartSense Premium

2 x Gas Bottle Level Monitor & App

Compact, lightweight, tough, water and dust resistant Suits most portable domestic gas bottles Communicates with phones via Bluetooth Easy DIY installation with strong magnets



SmartPressure

Tyre Pressure Monitoring System Bluetooth Temperature Sensor

Package includes: 2 x tyre pressure sensors, 1 x toolkit Maintains accurate recordings of tyre pressure and internal temperature DIY installation in minutes



SmartTemp

Measures internal temperature in a range of locations throughout the caravan DIY installation in minutes Monitor up to 4 sensors with a single app Used in Fridge or Freezer



SmartConnect

RV sensor kit

Package includes: 1 x SmartSense, 1 x SmartTemp, 2 x SmartPressure, 1 x toolkit

Complete SmartConnect kit DIY installation in minutes Compatible with BMPRO Smart RV systems, Odyssey REQUIRES OdysseyLink103



SmartConnect Premium

Complete RV Sensor Kit

Package includes: 2 x SmartSense, 2 x SmartTemp, 4 x SmartPressure, 1 x toolkit

Complete SmartConnect Premium kit DIY installation in minutes Compatible with BMPRO Smart RV systems, Odyssey REQUIRES OdysseyLink103



Battery Chargers



Genius Charger II


30-35

30 Amp Battery Charger 5 Amp Power Supply

Includes:

Battery Protector Reverse Diode Protection 10-Way Fuse Holder Cut-Out Switch

Stock Code: BATCHGENIUSII35/30




Drifter LCD Display

Includes:

4 Water Tanks
Amps, Volts
Water Pump
Master On/Off
Charge Status
USB Port

Stock Code: BATCHGENIUSDRIFT

Fuses





Terminal Block

Blade

Stock Code:

CLA54420: 4-Way CLA54422: 6-Way CLA54424: 8-Way



Fuse Panel

to suit Blade Fuse - With Cover

Stock Code:


CLA54431: 6 WAY CLA54433: 8 WAY CLA54435: 10 WAY



In-Line Fuse Holder

Standard Blade - Black

Weather-proof **Stock Code:** CLA54406




In-Line Fuse Holder

Maxi Blade - Black

Weather-proof **Qty:** 1

Stock Code: CLA54414



Blade Fuse

Stock Code:

FSE06AMP: 6AMP FSE20Al FSE10AMP: 10AMP Red Yellow FSE15AMP: 15AMP Blue 25AMP

FSE20AMP: 20AMP
Yellow FSE25AMP:
25AMP White
FSE30AMP: 30AMP
Green



Mini Blade Fuse

Stock Code:

FSE10AMPBL: 10AMP Red FSE20AMPBL: 20AMP Yellow FSE25AMPBL: 25AMP White



Maxi Blade Fuse

Stock Code:

FSE20AMPBL: 20 amp FSE30AMPBL: 30 amp FSE40AMPBL: 40 amp FSE50AMPBL: 50 amp FSE60AMPBL: 60 amp FSE70AMPBL: 70 amp FSE80AMPBL: 80 amp

FSE100AMPBL: 100 amp



Mega Fuse & Holder

Stock Code:

FSEMEGAFUSEHOLDER: Mega Fuse Holder FSE175W: 175 amp Mega Fuse FSE250W: 250 amp Mega Fuse FSE450W: 450 amp Mega Fuse




ANL Fuse & Holder

Stock Code:

CLA54416: 100 amp ANL Fuse & Holder CLA54417: 150 amp ANL Fuse & Holder CLA54418: 250 amp ANL Fuse & Holder



Solar Equipment & Tank Gauges





Solar Panel With Brackets Solar Panel With Brackets Solar Regulator

195W - 1480 x 680 x 35 Stock Code: SOLAR195W

140W - 1480 x 510 x 35 Stock Code: SOLAR140W

30 Amp Stock Code: SOLAR30AREG



Dektite

Stock Code:

DEKTITE035: 0-35mm 99x99mm Mini DEKTILE565: 5-65mm 137x137mm Large



Water Level Gauge

Stock Code:

CARWATG1: 1 TANK GAUGE CARWATG2: 2 TANK GAUGE CARWATG3: 3 TANK GAUGE



Water Level Gauge

With Voltmeter

Stock Code:

CARWATG1VOLT: 1 TANK GAUGE CARWATG2VOLT: 2 TANK GAUGE



Sender Arm Water Level Cabel

Stock Code: CARWATPROBE5.0: 5.0 METRE CARWATPROBE7.5: 7.5 METRE



BMPRO Dipper Sender Arm Stock Code: DIPPERTANKSEN



BMPRO Dipper Cable Loom

7.5m/5m/2.5m/2.5m Extention

Stock Code: DIPPERCL7MTR DIPPERCL5MTR DIPPERCL2.5MTR DIPPERCL2.5MTREXT

Break Away Units





Trailsafe BMPRO
All-in-one Break Away Unit
Stock Code: TRAILSAFE2



Trailcheck
In-car Trailsafe monitor

NSW Regulations 12V

Stock Code: TRAILCHECK



Brakesafe BS6000 Stock Code: CARLGTBSAFE




Brakesafe BS6000
7AH Battery
Stock Code: CARLGBSAFEBA



BMPRO Sway Control Stock Code: BMPROSWAY



Break Away Coil & Shackle Stock Code: TRAILSAFECOIL





Heavy Terrain Products 12V Cabin Pressure System

Creates a positive pressure inside the RV, pushing air outside so that dust can't get inside the RV.

100% Australian made.

Tried and tested for 2 years.
This system eliminates dust from inside your RV.

TECHNICAL DETAILS

12V 80 watt 10" fan rated at 1750 CFM

FAN WEIGHT

Davies Craig (Australian made) 4.2kg 12V 80 watt 10" fan rated at 1750 CFM

DIMENSIONS

Internal: 380x380mm External:500x500mm

MATERIAL

UV Resistant Plastic Housing with Roof hatch Cut Out: internal Stainless Steel Mesh325x325mm

Eliminates Dust



Batteries



100 Amp Battery
Wet Cell
Stock Code: BAT100AMPL



100 Amp Battery
AGM
Stock Code: BAT105AMP



120 Amp Battery
AGM
Stock Code: BAT120AMP



Lithium Battery
Invicta BMPRO

100AH - 7 year warranty
Stock Code:
BMPRO100ALITH



Lithium Battery
Invicta BMPRO
125AH - 7 year warranty
Stock Code:

BMPRO125ALITH



Lithium Battery
Invicta BMPRO

200AH - 7 year warranty
Stock Code:
BMPRO200ALITH



Lithium Battery
Zeal BMPRO

100AH - 3 year warranty
Stock Code:
BMPRO100ALITHZEAL



Zeal BMPRO
200AH - 3 year warranty
Stock Code:
BMPRO200ALITHZEAL





Battery Protector Stock Code: BATPROTECT40



Battery Box Stock Code: BATBOX

TV Points, 12V, USB & Antennas





TV Explorer Kit
Stock Code: CARLGTEXP



TV Indoor Point
Stock Code: BATVSK



Winguard/Jack Plate
No Booster (Extra TV Points)
Stock Code: CARLWINPL



TV Outdoor Point
Screw on F to F - White
Stock Code:
BATVSKCARV+AVFFIN



TV Outdoor Point
Screw on F to F - Black
Stock Code:
BATVSKCARVBLK+AVFFBIN



Areial 12V Socket
White/Black
Stock Code:
ARL12VSIW
ARL12VSIB



12V/ USB / TV
Surface Socket
White/Black - Pre-fitted
Stock Code:
ARL12VUSBTV3B
ARL12VUSBTV3W



12V/ TV Surface Socket
White/Black - Pre-fitted
Stock Code:
ARL12VTV2B
ARL12VTV2W



Pre-Fitted Surface Socket 12v/ USB, 12v/ TV, 12v/ USB/ TV Stock Code:



Areial Double 12V Socket
White/Black - Prewired
Stock Code:
ARL212VS2W
ARL212VS2B



Areial 12V - USB Combo
White/Black - Prewired

12V 20A Socket - 5V 2.5A USB
Stock Code:
ARL12VUSBS2W

ARL12VUSBS2B



Flush Socket

12V or USB - White/Black

Stock Code:

12V: CLA81026BL
USB: CLA81134BL



RF & Data Accessories



RG6 F Type
Crimp Connector
Stock Code: AVRG6FCRIMP



RG6 F Type twist on Crimp Connector
Stock Code: AVRG6FTWISTCRIMP



RG59 F Type
Crimp Connector
Stock Code: AVRG59FCRIMP



RG59 F Type twist on Crimp Connector

Stock Code: AVRG59FTWISTCRIMP



F to F Insert
Stock Code:
AVFFIN

AVFFBIN: Black



F to Pal Insert
Stock Code: AVFPALIN



F Type Female to F
Type Female Connector
Stock Code:



F Type Female to PAL Adapter

Stock Code:

AVFFPALF: PAL Female Adapter (picture)

AVFFPALM: PAL Male Adapter



F Type Female to RCA
Male Adapter
Stock Code: AVFFRCAM



RCA to RCA Insert

Stock Code:
AVRCARCARIN: RED
AVRCARCAYIN: YELLOW
AVRCARCAWIN: WHITE



RCA to F Insert


Stock Code:

AVFRCARIN: RED

AVFRCAYIN: YELLOW

AVFRCAWIN: WHITE

Data Accessories





3 RCA Female Joiner Stock Code: AVRCA3JOIN



RCA Adapter 2 Sockets 1 Plug **Stock Code:** AVRCA2SOCKETS



Splitter - F Type **Stock Code:** AV2WSP: 2 Way Splitter AV3WSP: 3 Way Splitter AV4WSP: 4 Way Splitter



RCA Lead **Stock Code:** CARCA2MRT: 1.8m CARCA3MRT: 3.0m CARCA5MRT: 5.0m CARCA10MRT: 10.0m



HDMI Right Angle Insert Stock Code: SMRJHDMI



HDMI Straight Insert **Stock Code:** SMRJHDMISTRAIGHT




HDMI Cable **Stock Code:** CAHDMI118TR: 1.8m CAHDMI3TR: 3.0m CAHDMI5TR: 5.0m CAHDMI10TR: 10.0m



CAT5E Patch Leads

Stock Code: CAPATCH05: 0.5 MTR CAPATCH2: 2 MTR CAPATCH3: 3 MTR CAPATCH5: 5 MTR





TV Fly Lead 1.8m F Male to PAL Male Stock Code: CAFLY18MTR



Antenna Extension Lead 4.0m Stock Code: ROYALANT4MTR



Connectors



Close End Connector

Qty: 100 **Stock Code:** CLACXCEC02: Small CLACXCEC03: 2.5-6.0mm



Single Screw Connectors Double Screw Connectors

Qty: 100 Stock Code: MS1SC100



Qty: 100 Stock Code: MS2SC100



16mm **Qty:** 10

Stock Code: MS2SC16MM



Double Screw Connectors Double Screw Connectors PC10 Boot Lace Terminal

35mm

Stock Code: MS2SC35MM



Stock Code: PC10

Terminals Red





Ring Terminal Insulated

Qty: 100 **Stock Code:** ACX3048: M3 Stud ACX3049: M4 Stud ACX3050: M5 Stud ACX3051: M6 Stud



Spade Terminal Insulated Male Blade Tab Insulated

Qty: 100 **Stock Code:** ACX3043: M4 Stud ACX3044: M5 Stud



6.3mm **Qty:** 100 Stock Code: ACX3006



Female Blade Insulated

6.3mm **Qty:** 100 Stock Code: ACX3016



2 Way Blade Connector Insulated

6.3mm **Qty:** 100 Stock Code: ACX3011



Pin Terminal Insulated

2mm **Qty:** 100 Stock Code: ACX3070



Male Bullet Insulated

4mm **Qty:** 100 Stock Code: ACX3027



Female Bullet Insulated

4mm **Qty:** 100 Stock Code: ACX3033



Joiner Fully Insulated

Qty: 100 Stock Code: ACX3038



Joiner - Heat Shrink Insulated

Qty: 100 Stock Code: ACX3036 Note: Red terminals suit 3mm Auto Cable



Terminals Yellow



Ring Terminal Insulated

Qty: 100 **Stock Code:** ACX3058: M4 Stud ACX3059: M5 Stud ACX3060: M6 Stud ACX3061: M7 Stud

CLACX 3062



Spade Terminal Insulated Male Blade Insulated

Qty: 100 Stock Code: ACX3047



6.3mm **Qty:** 100 Stock Code: ACX3008



Female Blade Insulated

6.3mm **Qty:** 100 Stock Code: ACX3019




Female Blade Fully Insulated

6.3mm **Qty:** 100 Stock Code: ACX3026



Pin Terminal Insulated

2mm **Qty:** 100 **Stock Code:** ACX3072



Joiner Fully Insulated

Qty: 100 Stock Code: 56158



Joiner - Heat Shrink Insulated

Qty: 100 Stock Code: ACX3066




Fully Insulated Female Blade Crimp

Stock Code: CLA56145

Note: Yellow terminals suit 6mm Auto Cable

Terminals Blue





Ring Terminal Insulated

Qty: 100 **Stock Code:** ACX3053: M4 Stud

ACX3054: M5 Stud ACX3055: M6 Stud ACX3056: M8 Stud



Spade Terminal Insulated Male Blade Insulated

Qty: 100 **Stock Code:** ACX3045: M4 Stud ACX3046: M5 Stud



6.3mm **Qty:** 100 Stock Code: ACX3007



Female Blade Insulated

6.3mm **Qty:** 100 Stock Code: ACX3017



Female Blade Fully Insulated

6.3mm **Qty:** 100 Stock Code: ACX3024



Male Bullet Insulated

5mm **Qty:** 100

Stock Code: ACX3029



Joiner Fully Insulated

Qty: 100 **Stock Code:** 56156



Joiner - Heat Shrink Insulated

Qty: 100 Stock Code: ACX3065

Note: Blue terminals suit 4mm Auto Cable



Lugs & Crimp Links



Lug

Stock Code:

LG005050.5mm 5 mm Hole LG005060.5mm 6 mm Hole LG002052.5mm 5 mm Hole LG002062.5mm 6 mm Hole LG002122.5mm 12mm Hole LG004054.0mm 5 mm Hole LG004064.0mm 6 mm Hole LG006056.0mm 5 mm Hole LG006066.0mm 6 mm Hole LG0060106mm 10 mm Hole LG0100510mm 5mm Hole LG0101010mm 10 mm Hole LG0160616mm 6 mm Hole LG0160816mm 8 mm Hole LG0161016mm 10 mm Hole LG0161216mm 12mm Hole LG0250625mm 6 mm Hole LG0250825mm 8 mm Hole LG0251025mm 10 mm Hole LG0350835mm 8 mm Hole LG0351035mm 10 mm Hole LG0351235mm 12 mm Hole LGO500850mm 8 mm Hole LG0501050mm 10 mm Hole LG0501250mm 12mm Hole LG0701070mm 10 mm Hole LG0701270mm 12 mm Hole LG0950895mm 8 mm Hole LG0951295mm 12 mm Hole LG12012120mm 12 mm Hole LG15012150mm 12 mm Hole LG18510185mm 10mm Hole LG18512185mm 12 mm Hole LG24010240mm 10 mm Hole



Crimp Link

Stock Code:

LGCL025Crimp Link 2.5mm LGCL04Crimp Link 4.0mm LGCL06Crimp Link 6.0mm LGCL10Crimp Link 10mm LGCL16Crimp Link 16mm LGCL20Crimp Link 20mm LGCL25Crimp Link 25mm LGCL35Crimp Link 35mm LGCL50Crimp Link 50mm LGCL70Crimp Link 70mm LGCL95Crimp Link 95mm LGCL120Crimp Link 120mm LGCL150Crimp Link 150mm LGCL240Crimp Link 240mm LGCL400Crimp Link 400mm



Heatshrink 1.2m

Stock Code:

TBT02.5BL 2.5mm Heatshrink Black TBT02.5RD 2.5mm Heatshrink Red TBT02.5BLU 2.5mm Heatshrink Blue TBT03BL 3mm Heatshrink Black TBT03RD 3mm Heatshrink Red TBT05BL 5mm Heatshrink Black TBT05RD 5mm Heatshrink Red TBT07BL 7mm Heatshrink Black TBT07RD 7mm Heatshrink Red TBT10BL 10mm Heatshrink Black TBT10RD 10mm Heatshrink Red TBT13BL 13mm Heatshrink Black TBT13RD 13mm Heatshrink Red TBT18BL 18mm Heatshrink Black TBT18RD 18mm Heatshrink Red TBT18BLU 18mm Heatshrink Blue TBT18WHT 18mm Heatshrink White TBT25BL 25mm Heatshrink Black TBT25RD 25mm Heatshrink Red



Split Corrugated Conduit

Stock Code:

SPLIT7MM: 7.0mm - 400mtr/30mtr SPLIT10MM: 10mm - 250mtr/30mtr SPLIT13MM: 13mm - 150mtr/30mtr SPLIT16MM: 16mm - 100mtr/25mtr SPLIT23MM: 23mm - 50mtr




Glue Anderson Plug Heat Shrink - Black

Stock Code: TBT38BL

Cable

Accessories





7 Pin Plug
Stock Code: MSPT7PIN



7 Pin Socket
Stock Code: MSPT7PINSOCKET



12 Pin Plug
Stock Code: MSPT12P



12 Pin Socket

Stock Code: MSPT12PINSOCKET



7 Pin Round Plug
Stock Code: MSPT7PINROUND



Metal 7 Pin Round Plug

Stock Code: MSPT7PINMETAL



50 Amp Anderson Plug Blue Stock Code: CLAX2760/1



50 Amp Anderson Plug
Grey
Stock Code: CLAX2760/1



50 Amp Anderson Plug Red Stock Code: CLAX2760/1



Male Plug - Top Stock Code: MSPT10M: 10 Amp MSPT15M: 15 Amp




Female Plug - Top
With Flange
Stock Code:
MSPT10F: 10 Amp
MSPT15F: 15 Amp



Flex and Lead
3 Pin / 1m
Stock Code: DLFP2



Electrical Accessories



Electrical Tape

Qty: 10 **Stock Code:**

MSTAPEEARTH: Grn/YlwMSTAPEBL: Blue MSTAPERED: RedMSTAPEBLK: Black MSTAPEYLW: YellowMSTAPEWHT: White MSRAINBOW: Rainbow



Half Saddle

Stock Code:

MSSH16: 16mm - **Qty:**MSSH20: 20mm - **Qty:**MSSH25: 25mm - **Qty:**MSSH32: 32mm - **Qty:**



Sharpies Permanent Markers

12 Pack

Stock Code: MSCRPENMKR



Zinc IT

Stock Code: MSZINC



Solder

Stock Code:

MSSOLDER1.2: 1.2mm 500g Roll MSSOLDER1.6: 1.6mm 500g Roll MSSOLDER2.3: 2.3mm 500g Roll MSSOLDER3.2: 3.2mm 500g Roll



Cable Tie

Qty: 100 **Stock Code:**

MSCT20047: 200mm MSCT30048: 300mm



Large Grommet

25mm Plastic

Qty: 100

Stock Code: MSCG25GR



Grommet


32mm

Qty: 100

Stock Code: MSCG32



Entertainment Accessories





LCD/DVD TV

24" / 28"

DVD Combo
Stock Code:
NCE24INCHTV
NCE28INCHTV
Smart TV's Available



TV Arm Bracket

Single / Double

Stock Code: FTTVBRACKET FTTVBRACKETD



Rubber Antenna

White / Black

Top / Side Mount
Stock Code: FTRUBBERA



TV Power Lead

12V

Stock Code: TV12VLEAD



DVD Player

NCE

Stock Code: NCE1DBT



2 Din DVD Player / Flip Down DVD

NCE

Stock Code:NCE2DBT
CARLGTNCEFLIPDVD



Internal Speakers

NCE 5"

2 Speakers in box **Stock Code:** NCE601W





External Speakers

NCE/DNA 6½"

2 Speakers in box **Stock Code:**

CARTVEXTSPEAKDNA: WHITE CARTVEXTSPEAKDNAB: BLACK



Reversing Cameras



6" In Car Reverse
Camera Screen Kit
With 15m Lead
Stock Code: CARCAM6INCH



Eyeball Reverse
Camera to suit
Stock Code: CARCAM6INCHEYEBALL




WOZA Lead
Stock Code: CAWOZA



In-Car Mirror
Reverse Camera Kit
With 15m Lead
Stock Code: CARCAMMIRROR




License Plate Reverse
Camera to suit
With 7.5m Lead
Stock Code: CARCAMLICENSE





Innovating & Engineering the Caravan Electrical Industry



Single Core Automotive Cable

Stock Code	Stranding No/mm	Nominal O/D mm2	Nominal Area mm2	Insulation Thickness mm	Pack Length
CAECA2	9/0.30	2.20	0.64	0.50	30, 100, 500
CAECA3	16/0.30	2.60	1.13	0.60	30, 100, 500
CAECA4	26/0.30	3.10	1.85	0.60	30, 100, 500
CAECA5	41/0.32	3.80	3.25	0.70	30, 100, 500
CAECA6	37/0.40	4.40	4.65	0.80	30, 100, 500

CAECA3__

**Please add Y - Yellow, WH - White, G - Green, O - Orange, P - Purple, GR - Grey, BL - Blue, BR - Brown, BLK - Black, RED - Red

Figure 8 Automotive Cable

Stock Code	Stranding No/mm	Nominal O/D mm2	Nominal Area mm2	Insulation Thickness mm	Pack Length
ECA32	16/0.30x2	5.3x2.6	1.13	0.60	30, 100, 500
ECA42	26/0.30x2	6.0x3.1	1.85	0.60	30, 100, 500

CAFIGAUTO__

Trailer Cable Automotive

Stock Code	Stranding No/mm	Nominal O/D mm2	Nominal Area mm2	Insulation Thickness mm	Pack Length
CAECA35TRLER5	13/0.30x5	7.70	0.96	0.60	30, 100, 500
CAECA35TRLER7	13/0.30x7	8.50	0.92	0.60	30, 100, 500

Battery Cable

Stock Code	Stranding No/mm	Nominal O/D mm2	Nominal Area mm2	Insulation Thickness mm	Pack Length
EBS8	100/0.30	5.60	7.00	0.90	30
EBS6	218/0.30	7.80	15.00	1.10	30
EBS4	285/0.30	8.80	20.00	1.10	30
EBS3	325/0.30	10.20	23.00	1.10	30
EBS2	460/0.30	11.50	33.00	1.70	30

CAECA_BS_

^{**}Please add Red/Black, Blue/White, Brown/White, Green/Black

^{**}Please add size and Red or Black

Cables



240 volt Power Cable

Stock Code	Stranding No/mm	Nominal Area mm2	Insulation Thickness mm	Pack Length
CA2CE015	7/0.50*2+7/0.50E	1.50	0.60	100
CA2CE025	7/0.67*2+7/0.50E	2.50	0.70	100

Earth Cable

Stock Code	Stranding No/mm	Nominal Area	Insulation Thickness mm	Pack Length
CAEW025	7/0.67	mm2	0.90	100
CAEW040	7/0.85	2.50	1.10	100
•		4.00	ı	1

TV Cable

Stock Code	Stranding No/mm	Pack Length
CATVCOAX	Co-Axial cable RG59	100, 305
CARG6Q	Co-Axial cable RG6 Quad Shield	100, 305

Speaker Cable

	Stranding	
Stock Code	No/mm	Pack Length
CAFIG8	24/0/20*2 Black and White Only	100



Automotive Cable

Application: General purpose cables for automotive applications.

Conductor: Plain Annealed Copper Wire

Insulation: PVC V75

Sheath: PVC V75

Voltage: 100V DC or 32V AC

Standard: AS2218

Pack Length: 30, 100m, 500m

CAUTION

Extra Low Voltage - Should NOT be connected to mains power supply

Single Core, Figure 8 & High Tension

For low voltage high amperage wiring

Typical Features:


Electra cables Part no.	Nom. Area mm²	a.) mm Ind Equiv.	Stranding No./mm	Nom. O/D. mm	Insulation Thickness mm		Voltage Drop amp/mtr	Load Amps
ECA2	0.64	2	9/0.30	2.2	0.5	3	0.0293	2
ECA3	1.13	3	16/0.30	2.3	0.6	10	0.0164	6
ECA4	1.85	4	26/0.30	3.1	0.6	15	0.01015	15
ECA5	3.25	5	41/0.32	3.8	0.7	25	0.0056	20
ECA6	4.65	6	37/0.40	4.4	0.8	40	0.00393	25
ECA7*	1.13	7	16/0.30	7.0	2.7	10	0.0164	6
				Figure 8				
ECA2840	0.44	2	2x14/0.20	4.8 x 2.4	0.7	-	_	_
ECA32	1.13	3	2x16/0.30	5.3 x 2.6	0.6	6	0.0164	6
ECA42	1.85	4	2x26/0.30	6.0 x 3.1	0.6	10	0.01015	15

^{*} ECA7 is a high tension automotive cable, used in ignition

[#] Duty amps specified are nominal only: derating factors will have to be applied in certain installations

Code	Sheath Colour
ECA2-ECA4	Black, Blue, Brown, Green, Red, White, Pink, Grey, Yellow, Orange, Purple
ECA5, ECA6	Black, Blue, Brown, Green, Red, White, Grey, Yellow, Orange
ECA32, ECA42	Red/Black, Blue/White, Brown/White, Green/Black
ECA7	Black, Red
ECA2840	Assorted colours with a trace

Battery Cable



Application: For General purpose automotive cables from battery to starter motor.

Core Colours: Red and Black

Sheath: Black

Packing Length: 30, Bulk

Typical Features

Electra cables Part no.	Nom. Area mm²	Stranding No./mm	Nom. O/D. mm	Insulation Thickness mm	Cont. Duty Amps**	Residual voltag terminate on 12 15m (V)	e at Equipment volt system 30m (V)
EBS8	7	100/0.30	5.6	0.9	45	10.4	8.8
EBS6	15	218/0.30	7.8	1.1	70	10.6	9.1
EBS4	20	285/0.30	8.8	1.1	85	10.7	9.5
EBS3	23	325/0.30	10.2	1.1	100	10.9	9.8
EBS2	33	460/0.30	11.5	1.7	120	11.1	10.1
EBS1	41	323/0.40	12.5	1.7	130	11.0	10.0
EBS0	50	400/0.40	13.5	1.7	150	11.1	10.3
EBS00	65	520/0.40	15.2	1.7	180	11.3	10.5
EBS000	83	663/0.40	17.2	2.0	210	11.5	10.7
EBS0000	100	798/0.40	18.4	2.0	240	11.7	10.9

^{**} Duty amps specified are nominal only at 60% duty cycle over 5 minutes; derating factors will have to be applied in certain installations. For intermittent duty, the battery cable will carry 200% of its rated ampere capacity.

Note: a.) MM is an industry term that identifies cable size and is not CONDUCTOR CROSS SECTION AREA



Notes:





















Caravan Electrical Solutions